


HomeCockpit Minor 104

Hardware Photos

Minor 104 frontal




Minor 104 side view (pic 1)



Minor 104 side view (pic 2)



Minor 104 side view (pic 3)



HomeCockpit Minor 104


Technical data

Hight mm	228
Width mm	275
Installation depth mm	22
Stand-Out from the wall mm	15
Weight gram	1790
Material	stainless steel
Connector:	
VGA connector	available
DVI connector	available
Connector plug (fixed)	with cable + external for shared assembling
Connector plug	for network device (plugin in ready)
USB-Kabel	connector for touch function
Input/Output Hardware	
Display	10,4" TFT-Color-LCD
Resolution	800x600 Px
Touchscreen	resistive
Electrical data:	
Input voltage	12 V
Voltage range	5 Amp
Power input	14 W
Power adapter	12 V shared assembling or 12 V power adapter
Temperature range	ambient temperature - 35 °C (operating mode)
Software:	without software

HomeCockpit Minor 150

Hardware Photos

Minor 150 frontal



Minor 150 side view (pic 1)



Minor 150 side view (pic 2)



Minor 104 side view (pic 3)



HomeCockpit Minor 150

Technical data

Hight mm	296
Width mm	372
Installation depth mm	22
Stand-Out from the wall mm	15
Weight gram	2434
Material	stainless steel
Connector:	
VGA connector	available
DVI connector	available
Connector plug (fixed)	with cable + external for shared assembling
Connector plug	for network device (plugin in ready)
USB-Kabel	connector for touch function
Input/Output-Hardware:	
Display	15" TFT-Color-LCD
Resolution	1024x768 Px
Touchscreen	resistive
Electrical data:	
Input voltage	12 V
Voltage range	5 Amp
Power input	25 W
Power adapter	12 V shared assembling or 12 V power adapter
Temperature range	ambient temperature - 35 °C (operating mode)
Software:	without Software